





BLK16CV3-0237-39X39-B-V1_01 Interface Description



P4 ICR



P5 power



P1 Ethernet

P7 audio, alarm

P3 Infrared

P2 Extended

sign	Socket	Specific No	Interface Description	Function
P1	J3	1	ETHRX-	Ethernet signal

		2	ETHRX+	Ethernet signal
		3	LED/PHY_AD1	LED
		4	ETHTX-	Ethernet signal
		5	ETHTX+	Ethernet signal
		6	LED/PHY_AD0	LED
P2	J19	1	SD_CLK	SD_CLK
		2	SD_CMD	SD_CMD
		3	SD_DATA0	SD_DATA0
		4	SD_DATA1	SD_DATA1
		5	SD_DATA2	SD_DATA2
		6	SD_DATA3	SD_DATA3
		7	LED_CTRL	LED_CTRL
		8	GND	GND
		9	Key-set	Key-set
		10	BAT	RTC RTC battery input
		11	GND	GND
		12	ALARM_OUT	ALARM_OUT
		13	USB_DM	USB_DM
		14	USB_DP	USB_DP
		15	+5V	+5V
		16	USB_CONTRL	USB_CONTRL
P3	J2	1	红外输入	Infrared input
		2	GND	GND
		3	+5V	5V DC input
P4	J4	1	BOUT	IRCUT output
		2	AOUT	IRCUT output
P5	J7	1	NC	Undefined
		2	NC	Undefined
		3	GND	GND
		4	12V	12V DC input
P6	J6	1	UART_RX	
		2	UART_TX	
		3	GND	GND
P7	J9	1	AC_OUT	AC_OUT
		2	AC_IN	MIC_P
		3	GND	GND
		4	ALARM_GPIO	ALARM_IN
		5	GND	GND